
Oink A Doodle Moo Quiet Book



Size:10"x10"

Featuring

Oink * A * Doodle * Moo!

by Jenn Ski



Size:10"x10"

Designed by Angela Yosten

Cutting Instructions:

Panel – fussy cut 6 –10"x 10" panel squares

Flannels – cut 1–10"x10" square from *each* of the 5 flannels

Back Cover fabric – cut 1–10"x 10" square

Interior pocket fabric – cut 2–10"x 10" squares

Cow print fabric – cut $6 - 2\frac{1}{2}$ "x 10" strips for sashing and $6 - 2\frac{1}{2}$ "x WOF for binding

By Annie's Soft and Stable, cut 6-10" x 10" pieces

Zipper– cut the stops off both ends of 12" zipper and trim each side so zipper measures 10".

Assembly Instructions:

1. Place a flannel square right side up on a square of *Soft and Stable*. Place the zipper right sides together with the flannel square, aligning the raw edges. Add a pocket square wrong side up, aligning the raw edges.



flannel square

- 2. Using a zipper foot, sew through all layers along the zipper edge.
- 3. Turn the layers so that the wrong sides are together, sandwiching the *Soft and Stable* in the middle. Top stitch along the zipper side.





4. Place the unit from Step 3 on top with flannel side down. Align the raw edge of the zipper with the raw edge of the back cover. Add the remaining pocket square, wrong side up, aligning the raw edge with the raw edge of the zipper.



Using a zipper foot, stitch the layers together along the raw edge of the zipper.



- 6. Turn the layers so that the pocket and back cover fabrics are wrong sides together. The zipper is now in the middle of the two sections. Turn the pocket square on the left so it is right sides together with the one on the right. The back cover fabric is still facing up on top. The flannel and *Soft and Stable* should be on the left.
- 7. Place a 2½"x10" sashing strip right sides together with the right side raw edge of the back cover square. Pin and stitch in place through all 4 layers using a ¼" seam allowance.





8. Place a second sashing strip right sides together on the left side raw edge of the flannel and *Soft and Stable* piece. Stitch in place.





 Place one panel square right sides together with the sashing on the flannel side along the raw edges.
Align the raw edges and stitch in place.



10. Select a panel to be used as the cover. Layer a piece of *Soft and Stable* on the wrong side. Place the layered panel right sides together, aligning the raw edge with the sashing that is sewn to the back cover. Stitch.





11. Press all seams towards the sashing pieces.



12. Fold the flannel and panel section left of the zipper under the back of book. Fold the panel squares to the right of the zipper so that wrong sides are together and the zipper is on the left side. Match and pin the raw edges in place. To hold all the pieces in place top stitch ½" around all the sides excluding the side with the zipper.





13. Top stitch through the sashing pieces 1/8" from seams. Set this section aside.

- 14. Lay a new square of flannel wrong side down on a piece of *Soft and Stable*. With right sides together align a piece of sashing along the left raw edge of the flannel. Stitch in place.
- 15. Lay a new panel square right sides together along the left raw edge of the sashing. Stitch in place. Press seams towards sashing.

16. Repeat Steps 14 and 15 using the remaining flannel, panel and *Soft and Stable* squares.

17. Next take two sections and place wrong sides together so that you now have soft and stable between each piece of panel and flannel. Topstitch 1/8" around all four sides. Topstitch 1/8" along the inside seams of the sashing.



18. Repeat Step 17 for the remaining sections.

Finishing

Using a diagonal seam, join the $6 - 2\frac{1}{2}$ "xWOF strips end to end. Press seams open. Fold prepared strip in half wrong sides together and press to make the binding. Bind each section individually as if they were 3 little quilts, omitting the zipper edge.

Layer the three sections with the front and back covers on the bottom. Check that when the pages are turned, there will be a panel square on the left and a flannel square on the right in each spread. With the book open and all three layers aligned evenly, stitch all three layers together with two lines of straight stitching down the center of the sashing to create the finished book.


Letters and Numbers

Cut alphabet and numbers from the black wool using your favorite font type to hand cut or use your favorite die cut machine. Store in zippered pocket.



Cover Letters

Bonus: The letters below are full size and reversed if you would like to add "Oink A Doodle Moo" to the cover of your quiet book. Trace letters onto wool, cut and arrange on cover of book. Stitch with matching thread.



Size:10"x10"

Fabric Requirements

- 1 Oink a Doodle Moo Panel (30520-12)
- 5 Fat Quarters of Marble Flannels (F9880-52, F9860, F9881-36, F9880-79, F6727)
- ³/₄ yard Cow Print for binding and sashing (30524-11)
- 1 Fat Quarter of Coordinating Print for back cover of book (30522-14)
- 1 Fat Quarter of Coordinating Print for Pocket (30525-15)
- 1 Pack 36"x58" By Annie Soft and Stable in Black (\$\$\$1036)
- 1 12" Black Zipper (Z12 580 YKK Ziplon Coil Zipper)
- ½ yard of black felted wool for letters and numbers
- Coordinating Thread













Book Designed by Angela Yosten











