

Size: 68"x79"

# Morris Modernized C.F.A. Voysey

Barbara Brackman

Size: 68"x79"

Quilters Basics

Read instructions before beginning a project. All instructions include a ¼" seam allowance. Press as you go.

## Cutting\_

LayerCake™

Set aside 5 LayerCakes<sup>™</sup> squares of your choice for setting triangles. From the remaining 37 LayerCakes<sup>™</sup> squares cut 55–4½"x 8½" rectangles (bricks).

From each of 5 LOYErCokes squares cut 1-7"x7" square, cut twice diagonally for setting triangles. *Note: Only 10 of the 20 setting triangles are needed for this project. Extras were cut to give a more scrappy look.* 

## Fabric 1 – Background

Cut 2 – 7"xWOF strips Subcut 8–7"x7" squares; cut twice diagonally for setting triangles. From remaining fabric Cut 1–3<sup>3</sup>/4"x3<sup>3</sup>/4" square; cut once diagonally for corner triangles. Cut 5–8<sup>1</sup>/2"xWOF strips

Subcut 44–8<sup>1</sup>/<sub>2</sub>"x 4<sup>1</sup>/<sub>2</sub>" rectangles (bricks).

**Fabric 2** – Inner Border – Cut 7–1<sup>1</sup>/<sub>2</sub>"xWOF strips.

### Fabric 3 – Outer Border

Cut or better yet tear  $2 - 6\frac{1}{2}$ "x Length of Fabric (LOF) border strips. *Cut so that the motifs are the same in both strips.* 

Then cut:

5–6<sup>1</sup>/2"xWOF (approx. 29") strips from remaining fabric. *Cut so that the motifs will match when joining strips.* 

Fabric 4 – Binding – Cut 8–2<sup>1</sup>/<sub>2</sub>"xWOF strips.

## Construction\_\_\_\_\_

This quilt is pieced on the diagonal. Piece rows as follows. Press seams in opposite directions from row to row.

## Make 2 of each.

Row 1:	ST1+ ST2	
<b>Row 2:</b>	ST1 + B2+ ST1	
Row 3:	ST1 + B2+ B1 + ST2	
<b>Row 4:</b>	ST1 + B2+ B1+ B2+ST1	
Row 5:	ST1 + B2+ B1+ B2+B1+ST2	
Row 6:	ST1 + B2+ B1+ B2+B1+B2+ST1	
<b>Row</b> 7:	ST1 + B2+ B1+ B2+B1+B2+B1+ST2	
<b>Row 8:</b>	ST1 + B2+ B1+ B2+B1+B2+B1+B2+S	ST1
Row 9:	ST1 + B2+ B1+ B2+B1+B2+B1+B2+B	31+ST2

Make 1 of each. *Note: Add Corner Triangles after all rows are joined.* Row 10: ST1+B2+B1+B2+B1+B2+B1+B2+B1+B2+CT Row 11: ST1+B2+B1+B2+B1+B2+B1+B2+B1+B2+ST1 Row 12: CT+B2+B1+B2+B1+B2+B1+B2+B1+B2+ST1

## Joining the Rows\_\_\_\_

- 1. Join rows 1-12 in numerical order. Press seams in one direction.
- 2. After Row 12 pick up the remaining Row 9 strip, rotate it 180 degrees and add to quilt top.



- 3. Repeat Step 2 using the remaining Rows 8, 7, 6 and so on until all rows have been stitched to the quilt top.
- 4. Add a corner triangle to one end of Rows 10 and 12. *See diagram*. Press seams toward the triangles.
- 5. Trim and square corners.

morla

## Block Key

ST1 – Setting Triangle 1– Bkgd. ST2 – Setting Triangle 2– Print

B1 – Brick 1– Bkgd. B2 – Brick 2– Print

CT – Corner Triangle– Bkgd.



## Inner Border\_

Using a diagonal seam join the 7–  $1\frac{1}{2}$ " strips end to end. Press seams open.

1. Measure quilt top from side to side. Cut 2 inner border strips from the pieced strip to that measurement. Add prepared strips to top and and bottom of quilt. Press seams toward inner border.

# Inner Border – cont.

2. Measure quilt top from top to bottom through the center including the borders. Cut remaining inner border strips to that measurement.. Add prepared strips to opposite sides of quilt top. Press seams toward inner border.

# Outer Border\_

Using a staight seam join the  $5-6\frac{1}{2}$  xWOF strips end to end matching motifs as you stitch. Press seams open.

- 1. Measure quilt top from side to side through the center.
- 2. Cut remaining outer border strips to that measurement.. Add prepared strips to top and bottom of quilt top. Press seams toward outer border.

Note: Before cutting the last two outer borders strips below, audition the lengthwise border strips next to the quilt top to determine the best place to trim the long borders to the measurement below.

3. Measure quilt top from top to bottom including the borders. Cut the length of fabric border strips to that measurement. Add to opposite sides of quilt. Press seams toward outer border.

## Finishing\_

Using a diagonal seam, join the  $7 - 2\frac{1}{2}$  xWOF strips end to end. Pres seams open. Fold prepared strip in half wrong sides together and press to make the binding.

Layer, Quilt and Bind.



Banbara Brackman

## Fabric Requirements:

1 LayerCake™ (8260LC) for Bricks

Fabric 1	
Bella Solid (9900-12) Bkgd.	2 yds.
Fabric 2	2/ 1
Print (8260-14) Inner Border	¾ yd.
Fabric 3 Print (8263-15) Outer Border	2½ yds.
Fabric 4 Print (8260-15) Binding	⁵⁄≋ yd.

Backing: 41/4 yards - pieced across



M O D A F A B R I C S . C O M PS8260 — Suggested Retail \$4.00



